

Finish

The coating is created using a full-tone colour.

To create full-tone colours, a graphic design software is necessary.
Do not use MS Office software to create these print files.

Instructions

- ☐ Create a full-tone colour and name it “spot”.
This full-tone colour can be chosen at random; we recommend using magenta.
- ☐ Fill the elements with the full-tone colour “spot”.

Checklists

- ☐ Your design may only contain one full-tone colour
- ☐ Use vector files only for finished elements
- ☐ Tonal value has to be 100% - do not use colour grids or half-tone values
- ☐ Do not use any graphic effects such as distortions, transparencies, cast shadows etc.


- ☐ Positive minimum font size 12 pt, regular or bold - please use sans serif fonts
- ☐ Negative minimum font size 15 pt, bold - please use sans serif fonts

- ☐ Positive minimum line thickness 1 pt (0.35 mm)
- ☐ Negative minimum line thickness 1.5 pt (0.53 mm)

The size, possible positions and spacing can be found in the attached data sheet.

Envelope, high-quality, sealing flap on the long side
C6, landscape, only finish

Exterior



- A = file format
- B = finished size
- C = front
- finish area
- maximum size of design (finish)**
100 x 100 mm

Finish

The print design may only be positioned once.

The position is freely selectable within the finish area.
 compulsory specifications - see info page

Print file delivery

PDF file

Folded finished format
162 x 114 mm

